

# PREVALENT MEDICAL CONDITION — EPILEPSY / SEIZURE DISORDER **Plan of Care** STUDENT INFORMATION Student Name \_\_\_\_\_ Date Of Birth \_\_\_\_\_ Student Photo (optional) Ontario Ed. # \_\_\_\_\_ Age \_\_\_\_ Grade \_\_\_\_\_ Teacher(s) \_\_\_\_\_ **EMERGENCY CONTACTS (LIST IN PRIORITY)** RELATIONSHIP NAME DAYTIME PHONE ALTERNATE PHONE 2. 3. Has an emergency rescue medication been prescribed? ☐ Yes □ No If yes, attach the rescue medication plan, healthcare providers' orders and authorization from the student's parent(s)/guardian(s) for a trained person to administer the medication. Note: Rescue medication training for the prescribed rescue medication and route of administration (e.g. buccal or intranasal) must be done in collaboration with a regulated healthcare professional. **KNOWN SEIZURE TRIGGERS** CHECK (✓) ALL THOSE THAT APPLY ☐ Menstrual Cycle ☐ Stress ☐ Inactivity □ Electronic Stimulation ☐ Changes In Diet □ Lack Of Sleep (TV, Videos, Florescent Lights) ☐ Improper Medication Balance □ Illness ☐ Change In Weather ☐ Other \_\_\_\_\_ ☐ Any Other Medical Condition or Allergy? \_\_\_\_\_\_

DAILY/ROUTINE EPILEPSY MANAGEMENT					
DESCRIPTION OF SEIZURE (NON-CONVULSIVE)	ACTION:				
	(e.g. description of dietary therapy, risks to be mitigated, trigger avoidance.)				
DESCRIPTION OF SEIZURE (CONVULSIVE)	ACTION:				
SEIZURE MANAGEMENT					
Note: It is possible for a student to have more than one seizure type.  Record information for each seizure type.					
SEIZURE TYPE	ACTIONS TO TAKE DURING SEIZURE				
(e.g. tonic-clonic, absence, simple partial, complex partial, atonic, myoclonic, infantile spasms)  Type:					
Description: Frequency of seizure activity:					
Typical seizure duration:					

## **BASIC FIRST AID: CARE AND COMFORT**

First aid procedure(s):			
Does student need to leave classroom after a seizure?	☐ Yes	□ No	
If yes, describe process for returning student to classroom	n:		

#### **BASIC SEIZURE FIRST AID**

- Stay calm and track time and duration of seizure
- Keep student safe
- Do not restrain or interfere with student's movements
- Do not put anything in student's mouth
- Stay with student until fully conscious

#### FOR TONIC-CLONIC SEIZURE:

Protect student's head Keep airway open/watch breathing Turn student on side

## **EMERGENCY PROCEDURES**

Students with epilepsy will typically experience seizures as a result of their medical condition.

#### Call 9-1-1 when:

- Convulsive (tonic-clonic) seizure lasts longer than five (5) minutes.
- Student has repeated seizures without regaining consciousness.
- Student is injured or has diabetes.
- Student has a first-time seizure.
- Student has breathing difficulties.
- Student has a seizure in water
- **★**Notify parent(s)/guardian(s) or emergency contact.

# 

AUTHORIZATION/PLAN REVIEW						
INDIVIDUALS WITH WHOM THIS PLAN OF CARE IS TO BE SHARED						
1	2		3			
4	5		6			
Other Individuals To Be Contacted Regarding Plan Of Care:						
Before-School Program	□Yes	□ No				
After-School Program	☐ Yes	□ No				
School Bus Driver/Route # (If Applicable)						
Other:						
This plan remains in effect for the 20 school year without change and will be reviewed on or before: (It is the parent(s)/guardian(s) responsibility to notify the principal if there is a need to change the plan of care during the school year).						
Parent(s)/Guardian(s):	Signature		Date:			
Student:	Signature		Date:			
Principal:	Signature		Date:			